# **STYLE REF: RF800** STYLE NAME: POWERMAX



SPECIFICATION: EN ISO 20345:2011 SB P CI E FO WRU HRO WR SRC + ASTM F 2413–11 I/75 C/75 EH PR + AS/NZS 2210.3:2009 SB P CI E FO WRU HRO WR SRC | SIZE UK 5–13 (INC 6.5 and 10.5) | COLOUR: BLACK

100% NON-METALLIC, WITH PROTECTIVE TOECAP AND MIDSOLE, POWERMAX IS AN ELECTRICAL HAZARD LINESMAN BOOT DEVELOPED WITH SPECIALIST DURABILITY MATERIALS THAT ARE CERTIFIED TO WITHSTAND ELECTRICAL RISKS OF 18KV IN ACCORDANCE WITH THE ASTM F2412-11 TEST METHOD, INCLUDING FORCE10<sup>®</sup> COMPONENTS, HELCOR<sup>®</sup> ABRASION RESISTANT LEATHER, MOISTURE-TECH BY SYMPATEX<sup>®</sup> WATERPROOF MEMBRANE, IMPACT SHIELD<sup>™</sup>, R-TEN<sup>™</sup> THREAD AND ORTHOLITE<sup>®</sup> CLIMATE BREATHABLE FOOTBED. THE SOLE AND UPPER ARE ALSO COMPATIBLE WITH MOST COMMON CLIMBING IRONS.

INTENDED AS SECONDARY PROTECTIVE EQUIPMENT, FOR USE IN ADDITION TO OTHER ELECTRICAL HAZARD PROTECTION EQUIPMENT



#### **Upper Material**

Water repellent full grain black leather with Helcor abrasion resistant leather stitched with R-TEN™ abrasion resistant thread

#### **Protective Components**

Protective fibreglass toecap and composite anti-penetration flexi-midsole

#### **Lining Materials**

Moisture-tech by Sympatex<sup>®</sup> waterproof and breathable bootie membrane – tested for 100 hours (74 times longer than EN requirement)

#### Scuff Cap and Outsole

FORCE10<sup>®</sup> scuff cap and dual density PU nitrile rubber outsole – tested to extraordinary abrasion, heat and cold performance levels

#### Footbed

Ortholite<sup>®</sup> climate breathable footbed with IMPACT SHIELD<sup>™</sup> shock reducing internal digging plate

### WWW.ROCKFALL.COM | WWW.ROCKFALL.COM/POWERMAX

PROUDLY MANUFACTURED BY ROCK FALL UK, MAJOR HOUSE, WIMSEY WAY, ALFRETON, DERBYSHIRE, DE55 4LS

#### **EC DECLARATION OF CONFORMITY**



Head Office & Distribution Centre

The manufacturer or his nominated representative established in the community;

ROCK FALL UK LTD MAJOR HOUSE, UNIT 1 WIMSEY WAY ALFRETON DERBYSHIRE, DE55 4LS UNITED KINGDOM Rock Fall UK Limited Unit 1 Major House Wimsey Way Alfreton, Derbyshire England. DE55 4LS

E: sales@rockfall.co.uk T: 01773 608616

www.rockfall.co.uk

Declares that the PPE described hereafter;

#### **ROCK FALL POWERMAX RF800**

Is in conformity with the provisions of Council Directive 89/686/EEC and, where such is the case, with the national standard transposing harmonised standard no. EN ISO 20345:2011 (for the PPE referred to in Article 8(2))

This declaration of conformity is issued under the sole responsibility of the manufacturer;

ROCK FALL UK LTD MAJOR HOUSE, UNIT 1 WIMSEY WAY ALFRETON DERBYSHIRE, DE55 4LS UNITED KINGDOM

Is identical to the PPE which is subject of EC certificate No 9098 issued by :-

SATRA Technology Centre Wyndham Way Kettering Northamptonshire NN16 8SD

Is subject to the procedure set out in Article 11 point A or point B of the Directive 89/686/EEC under the supervision of the notified body:

SATRA Technology Centre Wyndham Way Kettering Northamptonshire NN16 8SD

Signature:

**Position: Director** 

Date: 1/12/2017



Registered Office: St. Helens House, King Street, Derby, DE1 3EE VAT Reg Number: 706 1420 75 Co.Reg No. 3436704 Registered in England and Wales



Issued to: Rock Fall UK Ltd Unit 1/3 Wimsey way

Alfreton

UK

Derbyshire DE55 4LS

SATRA Client : P1769

## **EC Type-Examination Certificate**

	Number 9098 Issue 1
This is to certify that the produ Product Reference	Date first issued: 23/11/2017 Ict group reference "RF800 /RF900" comprising the following products: Description
RF800	7 eyelet half- knee leather upper boot with padded topline and a synthetic lining with fibreglass toe cap with TPU scuff guard and non-metallic perforation resistant insert with a PU Rubber sole reference GR360 FORCE 10
RF900	7 eyelet Ankle leather upper boot with padded topline and a synthetic lining with fibreglass toe cap with TPU scuff guard and non-metallic perforation resistant insert with a PU Rubber sole reference GR360 FORCE 10
	Size Range: 38-48 European.
	Classification
	EN ISO 20345:2011 - SB P CI E FO WRU HRO WR SRC
<b>Technical reports:</b> Intertek: GZHT90737593, GZł	HT90747524, GZHT90544038.
	Type-examination in accordance with Article 10 of the PPE Directive (89/686/EEC) isfy the relevant provisions of this Directive for the intermediate category through:
<ul> <li>Testing to the following standard: EN ISO 20345: 2011</li> <li>Examination of the relevant technical documentation.</li> <li>You are therefore licensed to mark the product(s) listed above in accordance with Article 13 of Directive (89/686/EEC) and any relevant amending Directives once you have drawn up an EC declaration of product conformity. Please note that:</li> </ul>	
<ol><li>This certificate is issued sub</li></ol>	n and product are contained in the manufacturer's technical file oject to the conditions on the reverse side of this certificate certificate exists, the English language version shall be considered as the authoritative text
Signed:	(Daniel Cotter) Date 23/11/2017
Signed:	
On behalf of SATRA	

SATRA Technology Centre, Wyndham Way, Telford Way, Kettering, Northamptonshire, NN16 8SD, United Kingdom