## **STYLE REF: VX530** STYLE NAME: TOPAZ



SPECIFICATION: EN ISO 20345:2011 S3 SRC | UK 2-8 (WHOLE SIZES) | COLOUR: BLACK

PROTECTIVE TOECAP AND MIDSOLE, TOPAZ IS COMFORTABLE AND LIGHTWEIGHT, IT'S DEVELOPED WITH PREMIUM MATERIALS INCLUDING A SHOCK ABSORBING DUAL DENSITY PU OUTSOLE. THE ROCK FALL WOMENS RANGE IS MADE ON A WOMENS SHOE MOULD MAKING IT MORE SLENDER AND BETTER FITTING.





Upper Material Water repellent full grain black leather Protective Components Protective steel toecap and composite anti-penetration flexi-midsole Lining Materials Moisture wicking breathable mesh fabric lining Scuff Cap and Outsole Womens fitting shock absorbing dual density PU outsole Footbed Anti-fatigue EVA footbed

SUBJECT TO CHANGE WITHOUT PRIOR NOTICE: 01/03/2018

## EC DECLARATION OF CONFORMITY



**Head Office & Distribution Centre** 

Rock Fall UK Limited Unit 1 Major House Wimsey Way Alfreton, Derbyshire England. DE55 4LS

E: sales@rockfall.co.uk T: 01773 608616

www.rockfall.co.uk

The manufacturer or his nominated representative established in the community;

ROCK FALL UK LTD MAJOR HOUSE, UNIT 1 WIMSEY WAY ALFRETON DERBYSHIRE, DE55 4LS UNITED KINGDOM

Declares that the PPE described hereafter;

## VIXEN TOPAZ VX530

Is in conformity with the provisions of Council Directive 89/686/EEC and, where such is the case, with the national standard transposing harmonised standard no. EN ISO 20345:2011 (for the PPE referred to in Article 8(2))

This declaration of conformity is issued under the sole responsibility of the manufacturer;

ROCK FALL UK LTD MAJOR HOUSE, UNIT 1 WIMSEY WAY ALFRETON DERBYSHIRE, DE55 4LS UNITED KINGDOM

Is identical to the PPE which is subject of EC certificate No LECFI00339196 Issued by:-

ITS TESTING SERVICES (UK) LTD CENTRE COURT MERIDIAN BUSINESS PARK LEICESTER LE19 1WD

Is subject to the procedure set out in Article 11 point A or point B of the Directive 89/686/EEC under the supervision of the notified body:

ITS TESTING SERVICES (UK) LTD CENTRE COURT MERIDIAN BUSINESS PARK LEICESTER LE19 1WD

Signature:

con Po

**Position: Director** 

Date: 01/01/2017



Registered Office: St. Helens House, King Street, Derby, DE1 3EE VAT Reg Number: 706 1420 75 Co.Reg No. 3436704 Registered in England and Wales



## **EC Type Examination Certificate**



Approved Body 0362

The safety footwear detailed herein meets the criteria of an EC Type Examination in accordance with Article 10 of the PPE Directive (89/686/EEC) including amendments and corrigendum up to 14/12/2010 for intermediate design category products.

This has been shown through satisfactory testing to EN ISO 20345: 2011 and examination of the Technical File Documentation.

Following an EC Declaration of Product Conformity you are hereby licensed to mark the product(s) detailed in accordance with Article 13 of the PPE Directive (89/686/EEC).

ITS Testing Services (UK) Ltd. Centre Court Meridian Business Park Leicester, LE19 1WD United Kingdom Phone: +44 (0)116 263 0330 Fax: +44 (0)116 263 0311



www.intertek.com

Issued to	: Rock Fall Uk Ltd Maior House, Unit	Wims	ey Way, Alfreton, Derbyshire,
	United Kingdom D		
Manufacturer		N.	
	Λ		
Date of Issue	: 22 January 2014		
Expiry Date	: 22 January 2019		
Certificate No.	: LEC FI00339196		
Product Reference(s)	: VX400 (FM1105), V VX540 (FM1106)	/X530	(FM1107), VX500 (FM1205),
Description	: Construction	:	Injection
1	Тоесар	1	Steel
	Midsole	;	Composite
	Last	:	JT021S
	Sole	:	PU Injection
	Mould	:	JT-021 PU Injection
	Test Report(s)	:	See Technical File
	Size Range	:	35 – 42
	Category	:	S3 SRC
	~		
0			
		1	
Aut			22/01/2014
sessor		1	Date

P. Williamson

Certification Manager For and on behalf of ITS Testing Services (UK) Limited

22/01/2014 Date 22/01/2014 Date

Registered in England No. 1408264 Registered Office: Academy Place, 1-9 Brook Street, Brentwood, Essex. CM14 5NQ

This certificate is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Certificate. Only the client is authorized to permit copying or distribution of this Certificate and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Certificate. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek.